

1 Signage films

2 Car wrapping films and accessories

3 Window graphic films

4 Thermal transfer films

5 Cardboard, foam boards and accessories for signage

6 PVC foam sheets

7 Polyester sheets

8 Polypropylene (PP) sheets

9 Aluminium composite sheets

SIGNAGE FILMS

AVERY 500 Gloss

70μ colored self-adhesive PVC film for signage

Monomeric

Glossy surface

50 colors range

Permanent acrylic adhesive

B1/M1 Fire Rating

Durability: White/black – 5 years; Colored – 4 years; Metallic – 2 years

Application:

Short term indoor and outdoor applications

Ideal for signcutting

Suitable for application on flat surfaces



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	2 5%	3 7%	5 10%
AU8860002	Avery 500 A4 Color Card	pcs.	1	4.50	4.28	4.19	4.05
BT0040001	Avery 500 Color Swatch V2	pcs.	1	10.00	9.50	9.30	9.00

Stock code	Description	Color	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1 0%	10 10%	25 15%	50 20%
YA6306	EG 501	white	1.00	50	1	1.91	1.72	1.62	1.53
YA6314	EG 502	black	1.00	50	1	1.91	1.72	1.62	1.53
AY5680001	EG 501	white	1.23	50	1	1.91	1.72	1.62	1.53
YA5431	EG 502	black	1.23	50	1	1.91	1.72	1.62	1.53
AW1140001	EG 503	geranium red	1.23	50	1	2.50	2.25	2.13	2.00
YA5472	EG 504	primrose yellow	1.23	50	1	2.50	2.25	2.13	2.00
YA5498	EG 505	blue	1.23	50	1	2.50	2.25	2.13	2.00
YA5514	EG 506	cactus green	1.23	50	1	2.50	2.25	2.13	2.00
YA5530	EG 507	brown	1.23	50	1	2.50	2.25	2.13	2.00
YA5548	EG 508	grey	1.23	50	1	2.50	2.25	2.13	2.00
AY7160001	EG 509	orange	1.23	50	1	2.50	2.25	2.13	2.00
YA5563	EG 510	bright blue	1.23	50	1	2.50	2.25	2.13	2.00
YA5571	EG 511	cherry red	1.23	50	1	2.50	2.25	2.13	2.00
YA5589	EG 512	dark blue	1.23	50	1	2.50	2.25	2.13	2.00
YA5597	EG 513	burgundy	1.23	50	1	2.50	2.25	2.13	2.00
YA5605	EG 514	poppy red	1.23	50	1	2.50	2.25	2.13	2.00
YA5613	EG 515	dark red	1.23	50	1	2.50	2.25	2.13	2.00
YA5621	EG 516	light orange	1.23	50	1	2.50	2.25	2.13	2.00
YA5639	EG 517	light green	1.23	50	1	2.50	2.25	2.13	2.00
YA5647	EG 518	grass green	1.23	50	1	2.50	2.25	2.13	2.00
YA5654	EG 519	red	1.23	50	1	2.50	2.25	2.13	2.00
YA5662	EG 520	ultramarine blue	1.23	50	1	2.50	2.25	2.13	2.00
YA5670	EG 521	intense blue	1.23	50	1	2.50	2.25	2.13	2.00
YA5712	EG 522	violet	1.23	50	1	2.50	2.25	2.13	2.00
YA5720	EG 523	medium red	1.23	50	1	2.50	2.25	2.13	2.00
YA5738	EG 524	magenta	1.23	50	1	2.50	2.25	2.13	2.00
YA5753	EG 526	stone yellow	1.23	50	1	2.50	2.25	2.13	2.00
YA5761	EG 527	butter yellow	1.23	50	1	2.50	2.25	2.13	2.00
YA5696	EG 528	vivid blue	1.23	50	1	2.50	2.25	2.13	2.00
YA5779	EG 529	light grey	1.23	50	1	2.50	2.25	2.13	2.00
YA5787	EG 530	grey	1.23	50	1	2.50	2.25	2.13	2.00
YA5795	EG 531	lime	1.23	50	1	2.50	2.25	2.13	2.00
YA5803	EG 532	kelly green	1.23	50	1	2.50	2.25	2.13	2.00

SIGNAGE FILMS

Stock code	Description	Color	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1 0%	10 10%	25 15%	50 20%
YA5811	EG 533	forest green	1.23	50	1	2.50	2.25	2.13	2.00
YA5829	EG 534	turquoise	1.23	50	1	2.50	2.25	2.13	2.00
YA5837	EG 535	teal	1.23	50	1	2.50	2.25	2.13	2.00
YA5845	EG 536	mint	1.23	50	1	2.50	2.25	2.13	2.00
YA5852	EG 537	light blue	1.23	50	1	2.50	2.25	2.13	2.00
YA5860	EG 538	gentian blue	1.23	50	1	2.50	2.25	2.13	2.00
YA5878	EG 539	reflex blue	1.23	50	1	2.50	2.25	2.13	2.00
YA5886	EG 540	cobalt blue	1.23	50	1	2.50	2.25	2.13	2.00
YA5894	EG 541	pink	1.23	50	1	2.50	2.25	2.13	2.00
YA5902	EG 542	ivory	1.23	50	1	2.50	2.25	2.13	2.00
YA5910	EG 543	beige	1.23	50	1	2.50	2.25	2.13	2.00
YA5928	EG 544	mist grey	1.23	50	1	2.50	2.25	2.13	2.00
YA5936	EG 545	dove grey	1.23	50	1	2.50	2.25	2.13	2.00
YA5944	EG 546	silver	1.23	50	1	2.50	2.25	2.13	2.00
YA5951	EG 547	gold	1.23	50	1	2.50	2.25	2.13	2.00
YB2163	EG 548	nut brown	1.23	50	1	2.50	2.25	2.13	2.00



SIGNAGE FILMS

AVERY 500 Matt

70μ colored self-adhesive PVC film for signage

Monomeric

Matt surface

50 colors range

Semi-permanent acrylic adhesive

B1/M1 Fire Rating

Durability: White/black – 5 years; Colored – 3 years; Metallic – 2 years

Application:

Short term indoor and outdoor applications

Ideal for signcutting

Suitable for application on flat surfaces



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	2 5%	3 7%	5 10%
AU8860002	Avery 500 A4 Color Card	pcs.	1	4.50	4.28	4.19	4.05
BT0040001	Avery 500 Color Swatch V2	pcs.	1	10.00	9.50	9.30	9.00

Stock code	Description	Color	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1 0%	10 10%	25 15%	50 20%
AZ2100001	EM 501	white	1.00	50	1	1.91	1.72	1.62	1.53
YA2669	EM 502	black	1.00	50	1	1.91	1.72	1.62	1.53
AY6830001	EM 501	white	1.23	50	1	1.91	1.72	1.62	1.53
U59354	EM 502	black	1.23	50	1	1.91	1.72	1.62	1.53
AW1280001	EM 503	geranium red	1.23	50	1	2.50	2.25	2.13	2.00
U59370	EM 504	primrose yellow	1.23	50	1	2.50	2.25	2.13	2.00
U59388	EM 505	blue	1.23	50	1	2.50	2.25	2.13	2.00
U59396	EM 506	cactus green	1.23	50	1	2.50	2.25	2.13	2.00
U59404	EM 507	brown	1.23	50	1	2.50	2.25	2.13	2.00
U59412	EM 508	grey	1.23	50	1	2.50	2.25	2.13	2.00
U59420	EM 509	orange	1.23	50	1	2.50	2.25	2.13	2.00
U59552	EM 510	bright blue	1.23	50	1	2.50	2.25	2.13	2.00
U59560	EM 511	cherry red	1.23	50	1	2.50	2.25	2.13	2.00
U59578	EM 512	dark blue	1.23	50	1	2.50	2.25	2.13	2.00
U59586	EM 513	burgundy	1.23	50	1	2.50	2.25	2.13	2.00
U59594	EM 514	poppy red	1.23	50	1	2.50	2.25	2.13	2.00
YA0614	EM 515	dark red	1.23	50	1	2.50	2.25	2.13	2.00
U59602	EM 516	light orange	1.23	50	1	2.50	2.25	2.13	2.00
U59610	EM 517	light green	1.23	50	1	2.50	2.25	2.13	2.00
U59628	EM 518	grass green	1.23	50	1	2.50	2.25	2.13	2.00
YA0689	EM 519	red	1.23	50	1	2.50	2.25	2.13	2.00
U59636	EM 520	ultramarine blue	1.23	50	1	2.50	2.25	2.13	2.00
U59644	EM 521	intense blue	1.23	50	1	2.50	2.25	2.13	2.00
U59651	EM 522	violet	1.23	50	1	2.50	2.25	2.13	2.00
YA0754	EM 523	medium red	1.23	50	1	2.50	2.25	2.13	2.00
U59669	EM 524	magenta	1.23	50	1	2.50	2.25	2.13	2.00
YA0895	EM 526	stone yellow	1.23	50	1	2.50	2.25	2.13	2.00
YA0960	EM 527	butter yellow	1.23	50	1	2.50	2.25	2.13	2.00
U59883	EM 528	vivid blue	1.23	50	1	2.50	2.25	2.13	2.00
U59891	EM 529	light grey	1.23	50	1	2.50	2.25	2.13	2.00
U59909	EM 530	dark grey	1.23	50	1	2.50	2.25	2.13	2.00
YA1034	EM 531	lime	1.23	50	1	2.50	2.25	2.13	2.00
YA1109	EM 532	kelly green	1.23	50	1	2.50	2.25	2.13	2.00

SIGNAGE FILMS

Stock code	Description	Color	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1 0%	10 10%	25 15%	50 20%
YA1174	EM 533	forest green	1.23	50	1	2.50	2.25	2.13	2.00
YA1240	EM 534	turquoise	1.23	50	1	2.50	2.25	2.13	2.00
YA1331	EM 535	teal	1.23	50	1	2.50	2.25	2.13	2.00
YA1406	EM 536	mint	1.23	50	1	2.50	2.25	2.13	2.00
YA1471	EM 537	light blue	1.23	50	1	2.50	2.25	2.13	2.00
YA1547	EM 538	gentian blue	1.23	50	1	2.50	2.25	2.13	2.00
YA1612	EM 539	freflex blue	1.23	50	1	2.50	2.25	2.13	2.00
YA1687	EM 540	cobalt blue	1.23	50	1	2.50	2.25	2.13	2.00
YA1752	EM 541	pink	1.23	50	1	2.50	2.25	2.13	2.00
YA1828	EM 542	ivory	1.23	50	1	2.50	2.25	2.13	2.00
YA1893	EM 543	beige	1.23	50	1	2.50	2.25	2.13	2.00
YA1968	EM 544	mist grey	1.23	50	1	2.50	2.25	2.13	2.00
YA2032	EM 545	dove grey	1.23	50	1	2.50	2.25	2.13	2.00
YA2107	EM 546	silver	1.23	50	1	2.50	2.25	2.13	2.00
YA2172	EM 547	gold	1.23	50	1	2.50	2.25	2.13	2.00
YB2346	EM 548	nut brown	1.23	50	1	2.50	2.25	2.13	2.00



SIGNAGE FILMS

AVERY 700

64μ colored self-adhesive PVC film for signage

Polymeric

Glossy surface

Permanent acrylic adhesive

B1/M1 Fire Rating

Durability: White/black – 8 years; Colored/transparent – 7 years; Metallic – 5 years

Application:

Medium term indoor and outdoor applications

Ideal for signcutting

Suitable for application on flat or slightly curved surfaces



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	2 5%	3 7%	5 10%
AU8870002	Avery 700 A4 Color Card	pcs.	1	4.50	4.28	4.19	4.05
AY3840001	Avery 700 Color Swatch	pcs.	1	10.00	9.50	9.30	9.00

Stock code	Description	Color	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1 0%	10 10%	25 15%	50 20%
XC0085	FC 700	white	1.23	50	1	6.73	6.06	5.72	5.38
XC0093	FC 701	black	1.23	50	1	6.73	6.06	5.72	5.38
XC0119	FC 703	cherry	1.23	50	1	7.07	6.36	6.01	5.66
XC0135	FC 705	orange	1.23	50	1	7.07	6.36	6.01	5.66
AW1030001	FC 706	sunflower yellow	1.23	50	1	7.07	6.36	6.01	5.66
XC0150	FC 707	primrose yellow	1.23	50	1	7.07	6.36	6.01	5.66
XC0168	FC 708	cosmos blue	1.23	50	1	7.07	6.36	6.01	5.66
XC0176	FC 709	ocean blue	1.23	50	1	7.07	6.36	6.01	5.66
AW1060001	FC 711	forest green	1.23	50	1	7.07	6.36	6.01	5.66
XC0218	FC 713	grass green	1.23	50	1	7.07	6.36	6.01	5.66
XC0226	FC 714	lime	1.23	50	1	7.07	6.36	6.01	5.66
CC9870003	FC 717	violet	1.23	50	1	7.07	6.36	6.01	5.66
XC0267	FC 718	chocolate brown	1.23	50	1	7.07	6.36	6.01	5.66
XC0283	FC 720	grey	1.23	50	1	7.07	6.36	6.01	5.66
XC0291	FC 721	black matt	1.23	50	1	7.07	6.36	6.01	5.66
AX1720001	FC 722	light orange	1.23	50	1	7.07	6.36	6.01	5.66
XC0317	FC 723	dark blue	1.23	50	1	7.07	6.36	6.01	5.66
XC0325	FC 724	cobalt blue	1.23	50	1	7.07	6.36	6.01	5.66
XC0341	FC 726	medium red	1.23	50	1	7.07	6.36	6.01	5.66
XC0382	FC 730	matt white	1.23	50	1	7.07	6.36	6.01	5.66
XC0390	FC 731	turquoise	1.23	50	1	7.07	6.36	6.01	5.66
XC0416	FC 733	blue	1.23	50	1	7.07	6.36	6.01	5.66
XC0440	FC 735	silver mettalic	1.23	50	1	7.07	6.36	6.01	5.66
XC0457	FC 736	gold metallic	1.23	50	1	7.07	6.36	6.01	5.66
AX3270001	FC 736-01	copper metallic	1.23	50	1	7.07	6.36	6.01	5.66
XC0465	FC 737	bright red	1.23	50	1	7.07	6.36	6.01	5.66
AX1800001	FC 738	bright orange	1.23	50	1	7.07	6.36	6.01	5.66
XC0481	FC 739	bright yellow	1.23	50	1	7.07	6.36	6.01	5.66
XC0499	FC 740	transparent	1.23	50	1	7.07	6.36	6.01	5.66
XC0507	FC 741	scuba blue	1.23	50	1	7.07	6.36	6.01	5.66
XC0531	FC 744	dove grey	1.23	50	1	7.07	6.36	6.01	5.66

SIGNAGE FILMS

Stock code	Description	Color	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1 0%	10 10%	25 15%	50 20%
XC1208	FC 744-01	tele grey	1.23	50	1	7.07	6.36	6.01	5.66
XC0549	FC 745	mist	1.23	50	1	7.07	6.36	6.01	5.66
XC0556	FC 746	grey metallic	1.23	50	1	7.07	6.36	6.01	5.66
XC0564	FC 747	marine blue	1.23	50	1	7.07	6.36	6.01	5.66
CC8180001	FC 748	tomato red	1.23	50	1	7.07	6.36	6.01	5.66
XC0598	FC 750	apple red	1.23	50	1	7.07	6.36	6.01	5.66
XC0606	FC 751	azure blue	1.23	50	1	7.07	6.36	6.01	5.66
XC0614	FC 752	ultramarine blue	1.23	50	1	7.07	6.36	6.01	5.66
XC0630	FC 754	royal blue	1.23	50	1	7.07	6.36	6.01	5.66
AX1440001	FC 755	light green	1.23	50	1	7.07	6.36	6.01	5.66
XC0697	FC 759	dark grey	1.23	50	1	7.07	6.36	6.01	5.66
XC0747	FC 764	saffron	1.23	50	1	7.07	6.36	6.01	5.66
XC0754	FC 765	blood red	1.23	50	1	7.07	6.36	6.01	5.66
XC0770	FC 767	dark red	1.23	50	1	7.07	6.36	6.01	5.66
XC0887	FC 778	wine red	1.23	50	1	7.07	6.36	6.01	5.66
CC8410001	FC 780	purple red	1.23	50	1	7.07	6.36	6.01	5.66
XC1000	FC 784	sky blue	1.23	50	1	7.07	6.36	6.01	5.66
XC1034	FC 793	classic blue	1.23	50	1	7.07	6.36	6.01	5.66



SIGNAGE FILMS

AVERY 4500



80μ colored translucent self-adhesive PVC film for illuminated signage

Polymeric

Satin surface

Permanent acrylic adhesive

Excellent colour uniformity in reflected and transmitted light

Durability: White/black – 7 years; Colored – 7 years

Application:

Graphics for internally illuminated signs on rigid substrates

Ideal for signcutting

Suitable for application on flat or slightly curved surfaces



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	2 5%	3 7%	5 10%
AU8820002	Avery Translucent A4 Color Card	pcs.	1	7.00	6.65	6.51	6.30

Stock code	Description	Color	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1 0%	10 10%	25 15%	50 20%
U59008	4500	white	1.23	50	1	5.74	5.17	4.88	4.59
U59016	4501	black	1.23	50	1	5.74	5.17	4.88	4.59
U59024	4502	yellow	1.23	50	1	6.60	5.94	5.61	5.28
U59040	4504	chrome yellow	1.23	50	1	6.60	5.94	5.61	5.28
U59065	4506	red	1.23	50	1	6.60	5.94	5.61	5.28
U59073	4507	light green	1.23	50	1	6.60	5.94	5.61	5.28
UC7202	4509	cardinal red	1.23	50	1	6.60	5.94	5.61	5.28
U59123	4512	blue	1.23	50	1	6.60	5.94	5.61	5.28
U59131	4513	violet	1.23	50	1	6.60	5.94	5.61	5.28
U59172	4517	dark blue	1.23	50	1	6.60	5.94	5.61	5.28
U59180	4518	blue saphir	1.23	50	1	6.60	5.94	5.61	5.28
UC7509	4528	reflex blue	1.23	50	1	6.60	5.94	5.61	5.28
UC7566	4529	deep blue	1.23	50	1	6.60	5.94	5.61	5.28
UC7681	4531	aqua	1.23	50	1	6.60	5.94	5.61	5.28
UC7921	4535	pigeon grey	1.23	50	1	6.60	5.94	5.61	5.28
UC7988	4537	chocolate	1.23	50	1	6.60	5.94	5.61	5.28
UC8168	4541	gold	1.23	50	1	7.02	6.32	5.97	5.62
AW7130001	4543	pumpkin orange	1.23	50	1	6.60	5.94	5.61	5.28

SIGNAGE FILMS

VERY Application Film AF 831



100μ clear self-adhesive polypropylene application film

Medium tack adhesive

Without backing

High clarity

The rigidity of the polypropylene film minimizes misalignment problems

Application:

To transfer cut graphics from the backing paper onto appropriate surface

Stock code	Color	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying rolls:			
						1	3	5	10
						0%	5%	7%	10%
XD8988	Transparent	Matt	1.22	100	100	1.02	0.97	0.95	0.92

SYMBIO Application Film AT60

SYMBIO®

93μ clear self-adhesive polypropylene application film

Medium tack adhesive

Without backing

Static free - special adhesive reduces the static charges

Excellent water resistance allows wet application

High clarity

The rigidity of the polypropylene film minimizes misalignment problems

Application:

To transfer cut graphics from the backing paper onto appropriate surface



Stock code	Color	Surface	Width, m	Length, m	Order step, rolls	Price eur/m ² , buying rolls:			
						1	3	5	10
						0%	5%	7%	10%
AT60122	Transparent	Matt	1.22	100	1	0.85	0.81	0.79	0.77

SYMBIO Application Paper 4075RLA

SYMBIO®

100μ self-adhesive application paper

High tack adhesive

Without backing

White translucent color

Works well in either wet or dry applications

Application:

To transfer cut graphics from the backing paper onto appropriate surface



Stock code	Color	Surface	Width, m	Length, m	Order step, rolls	Price eur/m ² , buying rolls:			
						1	3	5	10
						0%	5%	7%	10%
4075RLA122	White	Matt	1.22	100	1	0.85	0.81	0.79	0.77
4075RLA152	White	Matt	1.52	100	1	0.85	0.81	0.79	0.77

SIGNAGE FILMS

Coala Chalkboard



180µ black self-adhesive PVC film that can be written on with standard chalk

Monomeric

Black textured matt surface

Permanent polyacrylate adhesive

Easy to apply - no special tools required

Can be used with standard chalk or liquid chalk markers (water required for removal)

UV printing is recommended to make unique designs

Class 0 Fire Rating

Application:

Very popular for use in children's rooms, schools, pub menus, grocery stores, shopping mall advertising and etc.

High fire class rating allows applications in public areas such as airports, hotels and hospitals

Suitable for application on flat surfaces



Stock code	Color	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1	5	10	25
						0%	10%	15%	20%
513099B	Black	Matt	1.55	25	1	6.20	5.58	5.27	4.96

Easy Dot Chalkboard Kit



180µ black self-adhesive PVC film that can be written on with standard chalk

Kit includes: 68.5cm x 2m film, chalk and sponge

Monomeric

Black textured matt surface

Coated with a solvent-free, age-resistant permanent elastic acrylate adhesive
easy to apply - the 'dot-snapped' adhesive makes it easier to handle and to reposition

Can be used with standard chalk or liquid chalk markers (water required for removal)

UV printing is recommended to make unique designs

Application:

Very popular for use in children's rooms, schools, pub menus, grocery stores, shopping mall advertising and etc.

Suitable for application on flat surfaces



Stock code	Color	Surface	Width, m	Length, m	Order step, sets	Price eur/set, buying:			
						1	5	10	20
						0%	10%	15%	20%
6039906	Black	Matt	0.685	2	1	24.70	22.23	21.00	19.76



SIGNAGE FILMS

AVERY 400



80μ and 90μ self-adhesive PVC film for signage in sheets

Monomeric

Scored or non-scored backing

Meets the European Toy Regulations EN 71-3

Durability – 2 years

Application:

Screen printing

Wide variety of short term applications - labels and stickers, public transport advertising and etc.

Suitable for application on flat surfaces

Stock code	Color	Surface, Adhesive, Backing	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						100 0%	300 10%	500 15%	1000 20%
E00231	White	Gloss, Permanent, plain-back	1.00	0.70	1	1.94	1.75	1.65	1.55
E01858	White	Gloss, Removable, plain-back	1.00	0.70	1	1.73	1.56	1.47	1.38
AY0740002	White	Gloss, Permanent, scored-back	1.00	0.70	1	1.74	1.57	1.48	1.39
E00264	White	Matt, Permanent, plain-back	1.00	0.70	1	1.90	1.71	1.62	1.52
E50038	Transparent	Gloss, Permanent, plain-back	1.00	0.70	1	1.74	1.57	1.48	1.39
AY0760002	Transparent	Gloss, Permanent, scored-back	1.00	0.70	1	1.74	1.57	1.48	1.39
E26160	Yellow	Gloss, Permanent, plain-back	1.00	0.70	1	2.68	2.41	2.28	2.14

Coala Magnetic Base Film 400 PSA


400μ brown self adhesive magnetic base film

Matt surface

Holding force 17 g/m²

Can be applied with self-adhesive vinyl, magnetic or Ferro materials on top


COALA



Magnetic base film

Ferro film

Multi layer possibility



Application:

Various applications on smooth surfaces (walls, display systems, menu boards, education items and etc.)

Suitable for application on flat surfaces

Stock code	Color	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying rolls:			
						1 0%	2 5%	3 10%	5 15%
533862	Brown	Matt	1.000	15	1	5.36	5.09	4.82	4.56

SIGNAGE FILMS

AVERY HV 1200

184μ colored retro-reflective self-adhesive cast PVC film for reflective signage

Cast

Permanent acrylic adhesive

High gloss surface

Durability – up to 7 years

Application:

Long term indoor and outdoor applications

Screen printing

Ideal for signcutting

Suitable for application on flat, slightly curved and corrugated surfaces



Stock code	Description	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1 0%	5 10%	10 15%	25 20%
CA5870001	688-R Blue	Gloss	1.22	25	1	20.70	18.63	17.60	16.56
RB1197	235-R Yellow	Gloss	1.22	25	1	21.96	19.76	18.67	17.57

AVERY Visiflex V-8000



533-660μ colored micropismatic retroreflective self-adhesive film for fleet applications

Provides striking and bold reflectivity

Durable and effective solution when high visibility is desired

Easy to apply and conforms to simple curves

Omnidirectional prisms can face any direction

Stay-clean metallic layer construction, resisting dirt penetration, dents and reflectivity loss

Withstands normal vehicle maintenance

Can be cut into smaller shapes

Special construction eliminates edge sealing saving time and money

Permanent acrylic adhesive

High gloss surface

Durability: Standart colors - 7 years; Fluorescent – 5 years

Application:

Long term indoor and outdoor applications

Screen printing

Ideal for signcutting

Suitable for application on flat or slightly curved surfaces



Stock code	Description	Color	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1 0%	5 10%	10 15%	22.8 20%
BF9480002	V-8005	Blue	1.22	22.8	1	37.33	33.60	31.73	29.86
BG0040002	V-8013	Fluorescent Yellow	1.22	22.8	1	42.18	37.96	35.85	33.74

CAR WRAPPING FILMS AND ACCESSORIES

AVERY Supreme Wrapping Film



80-87µ colored self-adhesive PVC film for car wrapping

Cast

Permanent acrylic adhesive

Patented **EASY APPLY RS™** technology*

Excellent long term removability during the lifetime of the applied product

1,52m wide

Colored film and protective layer in one construction

Outstanding durability and outdoor performance due to dirt repellent film characteristics

Durability:

White/black – 12 years

Colored – 10 years

Metallic – 5 years

Brushed – 4 years

Application:

Full vehicle wraps to update the vehicle look or brand with company colors

Suitable for application on flat, slightly curved and 3D surfaces

*- special adhesive technology provides film repositionability and slideability, air bubbles can be easily squeezed out during the application, saving valuable installation time.



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	2 5%	3 7%	5 10%
CB1950010	Avery Wrapping Films color swatch V3	pcs.	1	15.00	14.25	13.95	13.50

Stock code	Color	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1 0%	5 10%	10 12%	25 17%
AV2100001	White	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
AV2090001	Matt White	Matt	1.52	25	1	16.73	15.06	14.72	13.89
CB1610002	White Pearlescent	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
BD3030001	Diamond White	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
AW1700001	Satin White Pearlescent	Satin	1.52	25	1	16.73	15.06	14.72	13.89
XE5991	Black	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
AS1430001	Matt Black	Matt	1.52	25	1	16.73	15.06	14.72	13.89
AW1680001	Satin Black	Satin	1.52	25	1	16.73	15.06	14.72	13.89
XE6171	Black Metallic	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
BM6150001	Yellow	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
BM5950001	Dark Yellow	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
BM6110001	Orange	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
BP1100001	Red	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
BP1140001	Cardinal Red	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
BP1150001	Carmine Red	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
BD3040001	Diamond Red	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
AS9130001	Matt Charcoal Metallic	Matt	1.52	25	1	16.73	15.06	14.72	13.89
AV2080001	Burgundy	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
BP1170001	Lime Green	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
BP1180001	Grass Green	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
XE6072	Dark Green	Gloss	1.52	25	1	16.73	15.06	14.72	13.89

CAR WRAPPING FILMS AND ACCESSORIES

Stock code	Color	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1 0%	5 10%	10 12%	25 17%
XE6262	Intense Blue	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
XE6098	Blue	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
XE6080	Light Blue	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
BD2890001	Diamond Blue	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
XE6197	Bright Blue Metallic	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
CB1530001	Dark Blue	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
XE6239	Dark Blue Metallic	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
AS9090001	Matt Brilliant Blue Metallic	Matt	1.52	25	1	16.73	15.06	14.72	13.89
AS4220001	Matt Purple Metallic	Matt	1.52	25	1	16.73	15.06	14.72	13.89
XE6130	Dark Grey	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
XE6296	Matt Dark Grey	Matt	1.52	25	1	16.73	15.06	14.72	13.89
AS9120001	Matt Gunmetal Metallic	Matt	1.52	25	1	16.73	15.06	14.72	13.89
XE6163	Grey Metallic	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
XE6155	Gold Metallic	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
XE6205	Brown Metallic	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
AS9000001	Matt Brown Metallic	Matt	1.52	25	1	16.73	15.06	14.72	13.89
XE6148	Silver Metallic	Gloss	1.52	25	1	16.73	15.06	14.72	13.89
AP2270001	Matt Silver Metallic	Matt	1.52	25	1	16.73	15.06	14.72	13.89
AR1230001	Brushed Titanium	Brushed	1.52	25	1	36.00	32.40	31.68	29.88
AR1310001	Brushed Black	Brushed	1.52	25	1	36.00	32.40	31.68	29.88
AR1300001	Brushed Aluminium	Brushed	1.52	25	1	36.00	32.40	31.68	29.88

AVERY Conform Chrome



142μ colored chrome finish self-adhesive film for car wrapping

Cast

Removable acrylic adhesive

Patented **EASY APPLY RS™** technology*

Excellent long term removability during the lifetime of the applied product

1,22 and 1.35m wide

Outstanding durability and outdoor performance due to dirt repellent film character:

Durability:

Silver – 3 years

Colored – 2 years

Application:

Full vehicle wraps or some chrome accents to update the vehicle look

Suitable for application on flat, slightly curved and 3D surfaces

*- special adhesive technology provides film repositionability and slideability, air bubbles can be easily squeezed out during the application, saving valuable installation time.



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	2 5%	3 7%	5 10%
CB1950010	Avery Wrapping Films color swatch V3	pcs.	1	15.00	14.25	13.95	13.50

Stock code	Color	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1 0%	5 10%	10 12%	22.8 17%
BP1660001	Conform Chrome Silver	Gloss	1.35	22.8	1	90.00	81.00	79.20	74.70
BP1700001	Conform Chrome Blue	Gloss	1.35	22.8	1	90.00	81.00	79.20	74.70
AY0810002	Conform Chrome Red	Gloss	1.22	22.8	1	90.00	81.00	79.20	74.70

We recommend to use **Avery DOL 1460** lamination film to protect film from scratching

CAR WRAPPING FILMS AND ACCESSORIES

VERY Pure Defence PVC Film



150µ transparent PVC protection film


Almost invisible protection against many different kinds of damage
Can be applied on all types of vehicles and high traffic areas like reception desks
Preserves appearance and financial value
High scratch resistance
Easy to handle
Enhances vehicle look
Low initial tack for wet application

Permanent solvent acrylic adhesive

High gloss finish
Durable optical clarity
Durability – up to 5 years

Application:

Protection of the vehicle's highly sensitive external surfaces like bumpers, sides, mirrors, hood or wheel arches against stone chips, road debris, insect stains, small to medium scratches, chemical stains and weathering
Protection of internal surfaces like luggage racks or chairs in busses or trains
Protection of surfaces in high traffic areas like reception desks, door impact areas, wall panels and more...
Suitable for application on flat or slightly curved surfaces



Stock code	Color	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1	10	25	50
						0%	5%	10%	15%
BR8410001	Pure Defence PVC Transparent	Gloss	1.00	50	1	10.67	10.14	9.60	9.07

For the best results we recommend to use **Avery Application Gel**

VERY Supreme Protection Film-XI



165µ transparent thermoplastic polyurethane (TPU) self-healing protection film

Almost invisible protection for painted surfaces
Preserves appearance and financial value
High scratch resistance
Easy to handle
Enhances vehicle look
Low initial tack for wet application

Permanent solvent acrylic adhesive

High gloss finish
Durable optical clarity
Durability – up to 10 years

"Self-healing" top coat helps small scratches disappear at room temperature and medium scratches when heat is applied

Application:

Protection of the vehicle's highly sensitive external surfaces like bumpers, sides, mirrors, hood or wheel arches against stone chips, road debris, insect stains, small to medium scratches, chemical stains and weathering
Protection of internal surfaces like luggage racks or chairs in busses or trains
Protection of surfaces in high traffic areas like reception desks, door impact areas, wall panels and more...
Suitable for application on flat or slightly curved surfaces



Stock code	Color	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1	5	10	15
						0%	5%	10%	15%
BM9370001	SPF-XI Transparent	Gloss	1.52	15	1	58.82	55.88	52.94	50.00

For the best results we recommend to use **Avery Application Gel**

CAR WRAPPING FILMS AND ACCESSORIES

EVERY Squeegees



Squeegees made of plastic

Pro Blue - nylon reinforced squeegee with a black felt edge that will not scratch the film. 10x7,5cm, for flat or slightly curved surfaces

Pro XL - the big brother of the squeegee Pro Blue. 13x8cm allows faster high quality applications on large and flat surfaces

Pro Flexible - softer, more flexible squeegee with a felt edge that will not scratch the film. 10x7,5cm, for 3D applications and deep corrugations

Pro Rigid White - the most rigid squeegee, specially designed for flat application of thick and rigid films. 10x7,5cm size.

Yellow Rigid - because of its form and specific flexibility it is recommended for paint protection film applications. 12,5x5cm size.

Orange Flexible - because of its form and high flexibility it is recommended for window film applications. 12,5x5cm size.



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	3 10%	5 15%	10 20%
CA3480002	Avery Squeegee Pro Blue	pcs.	1	3.84	3.46	3.26	3.07
CA8120002	Avery Squeegee Pro XL	pcs.	1	5.19	4.67	4.41	4.15
CA9080002	Avery Squeegee Pro Flexible	pcs.	1	3.75	3.38	3.19	3.00
AP8270002	Avery Squeegee Pro Rigid White	pcs.	1	3.15	2.84	2.68	2.52
BO7840001	Avery Squeegee Yellow Rigid	pcs.	1	9.19	8.27	7.81	7.35
BO7850001	Avery Squeegee Orange Flexible	pcs.	1	9.25	8.33	7.86	7.40

EVERY FlexTreme Squeegees



Micro-squeegees made of plastic for most challenging applications

Specifically designed for vinyl graphics applications featuring very compressed corrugations and other narrow substrate indentations

Comes in two logo branded versions (**Blue & Red**)

The Blue enable you to apply film in areas of narrow curves and over the edges of car panels, make sure that film is perfectly applied around the edges of logos and emblems, to create a seamless application

The Red is your ideal assistant for applying film over narrow, concave parts of a car



Stock code	Description	Selling unit	Order step, sets	Price eur/set, buying:			
				1 0%	3 10%	5 15%	10 20%
XE6536	Avery FlexTreme Blue&Red Set	set	1	12.35	11.12	10.50	9.88
BL9200001	Avery FlexTreme Red&Red Set	set	1	18.22	16.40	15.49	14.58

EVERY Magnet



To hold and position the film on the metal surface

Small and portable

Strong magnetic pull can replace application tape

Long grips to pull off and move



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	2 10%	4 15%	10 20%
XD5984	Avery Magnet	pcs.	1	12.22	11.00	10.39	9.78

CAR WRAPPING FILMS AND ACCESSORIES

EVERY Application knife

Application knife made of plastic, designed for graphic application

Holds 30° angled break-away blade for accurate cutting

Spare Blades Box is a disposable container for used blades, as well as a dispenser for 15 new blades



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	3 10%	5 15%	10 20%
XD6024	Avery Application Knife	pcs.	1	4.36	3.92	3.71	3.49
XE1040	Avery Spare Blades (15 blades/set)	set	1	9.62	8.66	8.18	7.70

EVERY Cutter

Application knife made of metal, designed for graphic application

Holds 30° angled break-away blade for safe and accurate cutting

It offers robust durability and better control with a casing that does not flex

The snap-off blade tips are ultra sharp and can be safely stored in Spare Blades Box

Spare Blades Box is a disposable container for used blades, as well as a dispenser for 15 new blades



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	3 10%	5 15%	10 20%
XD9275	Avery Cutter	pcs.	1	7.94	7.15	6.75	6.35
XE1040	Avery Spare Blades (15 blades/set)	set	1	9.62	8.66	8.18	7.70

EVERY Snitty

Mini slitting tool for safe and fast trimming of graphics and films



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	3 10%	5 15%	10 20%
XD6008	Avery Snitty	pcs.	1	8.24	7.42	7.00	6.59

EVERY Toolbelt

Keeps all of the tools together to allow fast and easy access during application

Developed by professional applicators

Includes a special metal plate for magnets



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	3 10%	5 15%	10 20%
XE4846	Avery Toolbelt	pcs.	1	28.17	25.35	23.94	22.54

CAR WRAPPING FILMS AND ACCESSORIES

VERY Application Glove

A soft, seamless, cotton application glove

Anti-static properties

Excellent friction resistance helps to apply graphics into curves and recesses

The glove has one size and is packed individually



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	3 10%	5 15%	10 20%
CA3640001	Avery Application Glove	pcs.	1	10.00	9.00	8.50	8.00

VERY Surface Cleaner

A professional cleaning solution made for cleaning surfaces prior application of the graphics

All kinds of residue can be removed in one single action (e.g. dirt, wax and etc.)

Environmentally friendly - contains no solvents (basis of alcohol)

It can also be used for removing small adhesive residues from surfaces

Flat Surface Cleaner is diluted version of Surface Cleaner for large flat panels and rigid-sided trucks



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	3 10%	6 15%	12 20%
ZA1206	Avery Surface Cleaner 1 L	pcs.	1	13.87	12.48	11.79	11.10
XE5959	Avery Flat Surface Cleaner 5 L	pcs.	1	35.22	31.70	29.94	28.18

VERY Adhesive Remover

A professional cleaning solution made for the removal of adhesives after the removal of the graphics

Easily lifts off adhesive using a small amount of the spray

Can be used to remove any type of adhesive such as solvent, acrylic and waterbased



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	3 10%	6 15%	12 20%
XD8392	Avery Adhesive Remover 0,5 L	pcs.	1	19.86	17.87	16.88	15.89

CAR WRAPPING FILMS AND ACCESSORIES

VERY Supreme Wrap Care



A professional grade cleaner, power cleaner and sealant to protect and clean vehicle graphics

Helps to maintain the freshly wrapped look

Simple for anyone to use

Suitable for all car wrap finishes*

No additional water required



Cleaner - general cleaning product for regular use. Eliminates dust, light dirt, fingerprints and other marks

Power cleaner - extra power to deal with difficult localized stains such as bird droppings, road grime, tree sap and much more

Sealant - provides a protective layer on the wrap, making it easier to clean off everyday challenges like dirt, bird droppings and tree sap

* - for matt finishes we advise to test the **Sealant** on a small area first.

Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	2 3%	3 5%	6 10%
BC2480001	Cleaner 946ml	pcs.	1	20.37	19.76	19.35	18.33
BC2510001	Power Cleaner 946ml	pcs.	1	20.20	19.59	19.19	18.18
BC2570001	Sealant 946ml	pcs.	1	20.20	19.59	19.19	18.18

VERY Edge Sealer



Seals the edges of the installed film and prevents lifting due to water and chemical penetration

Developed to use in combination with Avery Supreme Wrapping Films
Best for above-the-waterline marine applications

New design possibilities for boat decoration

Applies easily with brush and dries fast without dilution

Finished wraps are durable and UV stable

Colorless with a glossy finish

Long term film removability, preserving boat paint and boat value



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	2 3%	3 5%	6 10%
BP2530001	Avery Edge Sealer 0,5 L	pcs.	1	55.62	53.95	52.84	50.06

VERY Application Gel



A transparent gel designed to support the application of paint protection films

Facilitates the ease of application

Keeps the surface well moisturized

Provides the right tack and positioning of the film

Residues can be easily cleaned after application, even when fully dried



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	2 3%	3 5%	6 10%
BP6340001	Avery Application Gel 1 L	pcs.	1	12.37	12.00	11.75	11.13

WINDOW GRAPHIC FILMS

VERY Crystal&Dusted Glass



80µ „crystal“ and „dusted“ glass effects self-adhesive PVC film for glass decorations

Polymeric

Permanent acrylic adhesive

Matt surface

Crystal Glass – Translucent crystal-like special effect film

Dusted Glass – Milky translucent special effect film

Very good outdoor durability

Durability:

Crystal Glass – 7 years (indoor); 5 years (outdoor)

Dusted Glass – 9 years (indoor); 5 years (outdoor)

Application:

Glass decorations indoor and outdoor to keep total privacy and luminosity for particular zone

Ideal for signcutting

Suitable for application on flat or slightly curved surfaces



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				1 0%	2 5%	3 7%	5 10%
AU8850003	Avery Window A4 Color Card	pcs.	1	4.50	4.28	4.19	4.05

Stock code	Description	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1 0%	10 10%	25 15%	50 20%
XA5771	Crystal Glass	Matt	1.23	50	1	6.58	5.92	5.59	5.26
XE5066	Dusted Glass	Matt	1.23	50	1	6.40	5.76	5.44	5.12

Arlon 5400 Etched Glass



80µ „etched“ glass effects self-adhesive PVC film for glass decorations

Polymeric

Permanent acrylic adhesive

Etched Silver – Translucent silver-like special effect film

Etched Sparkle – Milky translucent special effect film

Durability: 5 years (indoors); 2 years (outdoors)

Application:

Glass decorations indoor and outdoor to keep total privacy and luminosity for particular zone

Ideal for signcutting

Suitable for application on flat or slightly curved surfaces

Stock code	Description	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1 0%	10 10%	25 15%	50 20%
M540485007	Etched Silver	Matt	1.22	50	1	3.92	3.53	3.33	3.14
M540485334	Etched Sparkle	Matt	1.22	50	1	3.92	3.53	3.33	3.14

VERY Gold&Silver Polyester



25µ gold and silver metallised self-adhesive polyester film for glass decorations

Bright silver and gold on both the top and adhesive side of the facefilm

Permanent acrylic adhesive


Durability – 2 years (Gold); 1 year (Silver)

Application:

Glass decorations indoor and outdoor

Ideal for signcutting

Suitable for application on flat surfaces



Stock code	Description	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying long meters:			
						1 0%	10 10%	25 15%	50 20%
U59206	Gold	Gloss	1.23	50	1	4.79	4.31	4.07	3.83
U59214	Silver	Gloss	1.23	50	1	4.79	4.31	4.07	3.83

THERMAL TRANSFER FILMS

COALA Textile Premium



100µ colored polyurethane film for thermal transfer onto textiles

Suitable to transfer onto textiles like cotton, mixtures of polyester/cotton and polyester/acrylic

Matt, reflection free surface

Polyurethane-hotmelt adhesive, activated in 155-165C° temperature with 3,5 bar pressure (17-20sec.)

Ecologically proven – Oeko-Tex Standard 100 Class I


Wash resistance – 60C°

Application:

Used for lettering on T-shirts, uniforms, sport and leisure wear, sport bags and promotional articles

Ideal for signcutting

Cut film is transferred by heat press (not suitable for nylon or hydrophobic impregnation)



Stock code	Description	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying rolls:			
						1 0%	2 10%	3 15%	5 20%
SYMBF401	401 White	Matt	0.5	25	1	11.60	10.44	9.86	9.28
SYMBF402	402 Black	Matt	0.5	25	1	11.60	10.44	9.86	9.28
SYMBF403	403 Light Blue	Matt	0.5	25	1	11.60	10.44	9.86	9.28
SYMBF404	404 Green	Matt	0.5	25	1	11.60	10.44	9.86	9.28
SYMBF405	405 Navy Blue	Matt	0.5	25	1	11.60	10.44	9.86	9.28
SYMBF406	406 Royal Blue	Matt	0.5	25	1	11.60	10.44	9.86	9.28
SYMBF408	408 Red	Matt	0.5	25	1	11.60	10.44	9.86	9.28
SYMBF409	409 Bordeaux	Matt	0.5	25	1	11.60	10.44	9.86	9.28
SYMBF410	410 Yellow	Matt	0.5	25	1	11.60	10.44	9.86	9.28
SYMBF412	412 Grey	Matt	0.5	25	1	11.60	10.44	9.86	9.28
SYMBF414	414 Purple	Matt	0.5	25	1	11.60	10.44	9.86	9.28
SYMBF415	415 Orange	Matt	0.5	25	1	11.60	10.44	9.86	9.28
SYMBF416	416 Brown	Matt	0.5	25	1	11.91	10.72	10.12	9.53
SYMBF417	417 Beige	Matt	0.5	25	1	11.91	10.72	10.12	9.53
SYMBF418	418 Medium Yellow	Matt	0.5	25	1	11.60	10.44	9.86	9.28
SYMBF419	419 Lemon Yellow	Matt	0.5	25	1	11.91	10.72	10.12	9.53
SYMBF420	420 Gold Metallic	Matt	0.5	25	1	12.07	10.86	10.26	9.66
SYMBF430	430 Silver Metallic	Matt	0.5	25	1	12.07	10.86	10.26	9.66
SYMBF440	440 Neon Yellow	Matt	0.5	25	1	13.45	12.11	11.43	10.76
SYMBF441	441 Neon Green	Matt	0.5	25	1	13.45	12.11	11.43	10.76
SYMBF442	442 Neon Orange	Matt	0.5	25	1	13.45	12.11	11.43	10.76
SYMBF443	443 Neon Pink	Matt	0.5	25	1	13.45	12.11	11.43	10.76
SYMBF461	461 Baby Pink	Matt	0.5	25	1	11.91	10.72	10.12	9.53
SYMBF462	462 Fuchsia	Matt	0.5	25	1	11.91	10.72	10.12	9.53
SYMBF467	467 Apple Green	Matt	0.5	25	1	11.60	10.44	9.86	9.28
SYMBF473	473 Flame Red	Matt	0.5	25	1	11.60	10.44	9.86	9.28

THERMAL TRANSFER FILMS

COALA Textile Flock



570μ colored flock polyurethane film for thermal transfer onto textiles

Suitable to transfer onto textiles like cotton, mixtures of polyester/cotton and polyester/acrylic

The brilliance and texture are due to high rayon fibre density

Copolyester-hotmelt adhesive, activated in 155-170°C temperature with 3,5 bar pressure (17-20sec.)

Wash resistance – 60°C

Application:

Used for lettering on T-shirts, uniforms, sport and leisure wear, sport bags and promotional articles

Ideal for signcutting

Cut film is transferred by heat press (not suitable for nylon or hydrophobic impregnation)



Stock code	Description	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying rolls:			
						1 0%	2 10%	3 15%	5 20%
SYMBF001	001 White	Flock	0.5	25	1	16.71	15.04	14.20	13.37
SYMBF700	700 Black	Flock	0.5	25	1	16.71	15.04	14.20	13.37

COALA Textile Image Reflex Silver



160μ silver retro-reflective polyurethane film for thermal transfer onto textiles

Suitable to transfer onto textiles like cotton, mixtures of polyester/cotton and polyester/acrylic

Film consists of metalized microscopic glass beads

Copolyester-hotmelt adhesive, activated in 155-165°C temperature with 3,5 bar pressure (17-20sec.)

The photometric values conform to EN 471 Standard Class 2

Wash resistance – 60°C

Application:

Used for lettering on T-shirts, uniforms, sport and leisure wear, sport bags and promotional articles

Ideal for signcutting

Cut film is transferred by heat press (not suitable for nylon or hydrophobic impregnation)



Stock code	Description	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying rolls:			
						1 0%	2 10%	3 15%	5 20%
SYMBF4781	4781 Reflex Silver	Reflective	0.5	25	1	32.70	29.43	27.80	26.16

THERMAL TRANSFER FILMS

COALA Textile Digital



100µ printable white polyurethane film for thermal transfer onto textiles

Suitable to transfer onto bright or dark textiles like cotton, mixtures of polyester/cotton and polyester/acrylic
Printable on solvent and eco-solvent digital printers

Polyurethane-hotmelt adhesive, activated in 155-165C° temperature with 3,5 bar pressure (17-20sec.)

Wash resistance – 40C°

Application:

Used for lettering on T-shirts, uniforms, sport and leisure wear, sport bags and promotional articles

Ideal for signcutting

Cut film is transferred by heat press (not suitable for nylon or hydrophobic impregnation)



Stock code	Description	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying rolls:			
						1 0%	2 10%	3 15%	5 20%
SYMBF4015A	4015 White	Satin	0.5	25	1	11.25	10.13	9.56	9.00
SYMBF4015B	4015 White	Satin	1.0	25	1	11.25	10.13	9.56	9.00

STAHL'S Magic Mask Plus

90µ heat resistant clear self-adhesive polypropylene application film

Medium tack adhesive

High clarity

High heat resistance

The rigidity of the polypropylene film minimizes misalignment problems

Application:

To transfer printed thermal films from the carrier onto appropriate surface (e.g. textiles)

STAHL'S



Stock code	Description	Surface	Width, m	Length, m	Order step, m	Price eur/m ² , buying rolls:			
						1 0%	2 5%	3 7%	5 10%
110216	Magic Mask Plus	Matt	0.5	50	50	3.65	3.47	3.39	3.29

CARDBOARD, FOAM BOARDS AND ACCESSORIES FOR SIGNAGE

STADUR Sign SF



White composite foam board

Foamed polystyrene core bonded with rigid PVC layers

Protected with dual sided film

Good rigidity and flatness

Both sides white matt surface

Very good UV and moisture resistance - no deformation using outdoors (up to 2 years)

Temperature resistance from 0C° up to +60C°

Lightweight

Application:

Direct digital and screen printing

Various types of signage indoors and outdoors

Processing: bending, laminating, sawing, contour cutting, milling, routing, gluing, v-cut



Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						1 0%	5 10%	10 15%	25 20%
305020305S	Stadur Sign SF	5	2.03	3.05	1	8.73	7.86	7.42	6.98
3050153010	Stadur Sign SF	10	1.53	3.05	1	10.56	9.50	8.98	8.45
3050203010	Stadur Sign SF	10	2.03	3.05	1	10.56	9.50	8.98	8.45
3050203015	Stadur Sign SF	15	2.03	3.05	1	11.74	10.57	9.98	9.39
3050203019	Stadur Sign SF	19	2.03	3.05	1	14.15	12.74	12.03	11.32
3050203040	Stadur Sign SF	40	2.03	3.05	1	22.92	20.63	19.48	18.34

STADUR Sign Easyprint



White composite foam board

Foamed polystyrene core bonded with rigid Stadurlon layers

100% PVC free

Protected with dual sided film

Enhanced rigidity and flatness

Excellent scratch resistance

Matt surface

Both sides bright white ensures best printing quality

Very good UV and moisture resistance - no deformation using outdoors (up to 10 years)

Temperature resistance from 0C° up to +60C°


Lightweight

Application:

Direct digital and screen printing

Various types of signage indoors and outdoors

Processing: bending, laminating, sawing, contour cutting, milling, routing, gluing, v-cut



Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						1 0%	5 10%	10 15%	25 20%
305020305	Stadur Sign Easyprint	5	2.03	3.05	1	10.60	9.54	9.01	8.48
30520310	Stadur Sign Easyprint	10	2.03	3.05	1	12.77	11.49	10.85	10.22

CARDBOARD, FOAM BOARDS AND ACCESSORIES FOR SIGNAGE

SERIMATT



White two-side coated cardboard

Made from 100% virgin fibres
Eco friendly and recyclable
Matt, smooth surface
Good rigidity and flatness
Both sides bright white - good printing quality
White core
Lightweight

Application:

Direct inkjet digital, offset and screen printing

Various types of signage indoors

Processing: embossing, film and foil lamination, die cut, varnishing, creasing, perforating, cutting and scoring



Oppboga

Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						1 0%	10 3%	25 8%	100 10%
371348	Serimatt 770g	1.25	1.22	2.44	1	2.15	2.09	1.98	1.94
371349	Serimatt 1100g	2.00	1.22	2.44	1	2.92	2.83	2.69	2.63

DISPA



White paper board with a unique structure of central layers made of embossed paper

Helping you to meet your environmental targets - 100% paper - 100% recyclable
Both sides smooth matt and bright white - excellent printing quality
Flat and rigid
Patented core and method of manufacture makes it uniquely stable board
Very lightweight (850 g/m²) - easy to work with and to hang
FSC certified



DISPA®



Application:

Direct digital or screen printing

Various types of signage indoors: decoration, creative artwork, hanging signs, display and POS/POP and etc.

Print amazing graphics, create shapes with die and knife cutting, mount onto substrates or laminate onto Dispa using standart adhesives

Processing is fast, efficient and easy, even using manual tools

Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						1 0%	10 10%	25 15%	100 20%
791020	Dispa	3.8	1.25	2.45	1	3.51	3.16	2.98	2.81
791022	Dispa	3.8	1.524	3.048	1	3.51	3.16	2.98	2.81

CARDBOARD, FOAM BOARDS AND ACCESSORIES FOR SIGNAGE

KAPA Line



White composite foam board

Foamed polyurethane (PUR) core bonded with pigmented chromo substitute carton layers on both sides

Slightly yellow foam is resistant to solvents and glues (does not melt)

High heat resistance - up to 100C° (long term), 160C° (short term)

Easy precise cutting - foam does not crumble

Good rigidity and flatness

Smooth white surface

Lightweight

Application:

Direct digital and screen printing

Various types of signage indoors: decoration, creative artwork, modelling, framing and etc.

Processing: laminating, bending, die cut, contour cutting, routing, gluing, punching, v-cut



Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						1 0%	10 10%	25 15%	50 20%
701004	KAPA Line	3	1.00	1.40	1	5.78	5.20	4.91	4.62
701012	KAPA Line	5	1.00	1.40	1	6.57	5.91	5.58	5.26
701156	KAPA Line	5	1.53	3.05	1	6.57	5.91	5.58	5.26
701017	KAPA Line	10	1.00	1.40	1	8.26	7.43	7.02	6.61

KAPA Plast



White composite foam board

Foamed polyurethane (PUR) core bonded with white plastic-coated carton layers on both sides

Thin polyethylene coating on carton layers makes surface resistant to water and humidity

Grey foam is resistant to solvents and glues (does not melt)

High heat resistance - up to 100C° (long term), 160C° (short term)

Easy precise cutting - foam does not crumble

Good rigidity and flatness

Smooth white surface with special coating - better printing quality

Lightweight

Application:

Direct digital and screen printing

Various types of signage indoors and short-term outdoors: decoration, creative artwork, modelling, framing and etc.

Processing: laminating, bending, die cut, contour cutting, routing, gluing, punching, v-cut



Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						1 0%	10 10%	25 15%	50 20%
705401	KAPA Plast	3	1.00	1.40	1	8.09	7.28	6.88	6.47
705049	KAPA Plast	5	1.00	1.40	1	9.27	8.34	7.88	7.42
705123	KAPA Plast	5	1.53	3.05	1	9.27	8.34	7.88	7.42
705136	KAPA Plast	5	2.03	3.05	1	9.27	8.34	7.88	7.42
705039	KAPA Plast	10	1.53	3.05	1	11.45	10.31	9.73	9.16
705137	KAPA Plast	10	2.03	3.05	1	11.45	10.31	9.73	9.16

CARDBOARD, FOAM BOARDS AND ACCESSORIES FOR SIGNAGE

KAPA Mount



White composite foam board

Foamed polyurethane (PUR) core bonded with white chromo board cover layers on both sides
Carton layers are additionally reinforced with thin aluminium foil - improved rigidity for laminating
Grey foam is resistant to solvents and glues (does not melt)
High heat resistance - up to 100C° (long term), 160C° (short term)
Easy precise cutting - foam does not crumble
Good rigidity and flatness
Smooth white surface with special coating - better printing quality
Lightweight
B2 Fire rating



Application:

Direct digital and screen printing

Various types of signage indoors and short-term outdoors: decoration, creative artwork, modelling, framing and etc.

Processing: laminating, bending, die cut, contour cutting, routing, gluing, punching, v-cut

Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						1 0%	10 10%	25 15%	50 20%
706481	KAPA Mount	5	1.00	1.40	1	10.46	9.41	8.89	8.37
706129	KAPA Mount	5	1.53	3.05	1	10.46	9.41	8.89	8.37

KAPA Fix 1-side



Self-adhesive composite foam board

Foamed polyurethane (PUR) core bonded with chromo substitute carton layers on both sides and one side self-adhesive
Carton layers are additionally reinforced with thin aluminium foil - improved rigidity for laminating
Permanent adhesive on one side - laminate any material on board or stick it onto the wall
Grey foam is resistant to solvents and glues (does not melt)
High heat resistance - up to 100C° (long term), 160C° (short term)
Easy precise cutting - foam does not crumble
Smooth white surface
Lightweight
B2 Fire rating



Application:

Direct digital and screen printing (one side) or laminate printed graphics on sticky side

Various types of signage indoors: decoration, creative artwork, modelling, framing and etc.

Processing: laminating, bending, die cut, contour cutting, routing, gluing, punching, v-cut

Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						1 0%	10 10%	25 15%	50 20%
704004	KAPA Fix 1-side	5	1.00	1.40	1	17.07	15.36	14.51	13.66
704016	KAPA Fix 1-side	5	1.53	3.05	1	17.07	15.36	14.51	13.66

CARDBOARD, FOAM BOARDS AND ACCESSORIES FOR SIGNAGE

KAPA Metal hangers

Metal hangers for composite foam boards



Stock code	Description	Selling unit	Order step, pcs	Price eur/peace, buying:			
				200 0%	300 10%	400 15%	800 20%
851010	KAPA Metal Hangers	pcs.	1	0.28	0.25	0.24	0.22

VISCOM EDGE TAPE



Self-adhesive edge protecting profile

Very flexible

Easy to handle

Direct and immediate glue contact between profile and edge

By scoring e.g. 90° bends can be glued continuously



Stock code	Description	Selling unit	Width, mm	Length, m	Order step, rolls	Price eur/roll, buying:			
						1 0%	2 10%	3 15%	5 20%
40146	Edge Tape White 10mm	roll	10	50	1	69.60	62.64	59.16	55.68
401461	Edge Tape Black 10mm	roll	10	50	1	69.60	62.64	59.16	55.68
40147	Edge Tape White 19mm	roll	10	50	1	111.65	100.49	94.90	89.32
401471	Edge Tape Black 19mm	roll	10	50	1	111.65	100.49	94.90	89.32

PVC FOAM SHEETS

PALIGHT



White foamed PVC sheet

Very high rigidity and flatness

Matt, smooth, bright white surface - good printing quality

Density – 0,70g/cm³

Low water absorption

High chemical resistance

EN13501 Fire rating

Application:

Direct digital and screen printing

Various types of signage, construction and industry

Processing: vacuum forming, nailing, bolting, bending, laminating, sawing, drilling, contour cutting, milling, routing, gluing



Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						1 0%	10 5%	25 7%	50 10%
2033051	Palight	1	2.030	3.050	1	1.98	1.88	1.84	1.78
1223052	Palight	2	1.220	3.050	1	3.19	3.03	2.97	2.87
2033052	Palight	2	2.030	3.050	1	3.19	3.03	2.97	2.87

PALIGHT COLOURS



Colored foamed PVC sheet

Very high rigidity and flatness

Matt, smooth surface

Protected with single sided film

Density – 0,70g/cm³

Low water absorption

High chemical resistance

EN13501 Fire rating

Application:

Direct digital and screen printing

Various types of signage, construction and industry

Processing: vacuum forming, nailing, bolting, bending, laminating, sawing, drilling, contour cutting, milling, routing, gluing



Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						1 0%	10 5%	25 7%	50 10%
2033053BL	Palight Black	3	2.030	3.050	1	4.45	4.23	4.14	4.01
2033055BL	Palight Black	5	2.030	3.050	1	7.45	7.08	6.93	6.71

PVC FOAM SHEETS

PALIGHT PRINT



White foamed PVC sheet

High rigidity and flatness
Both sides bright white ensures best printing quality
Matt, smooth surface
Protected with single or two sided PE film
Density – 0,55g/cm³
Low water absorption
High chemical resistance
EN13501 Fire rating

Application:

Direct digital and screen printing
Various types of signage, construction and industry
Processing: vacuum forming, nailing, bolting, bending, laminating, sawing, drilling, contour cutting, milling, routing, gluing



Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						1 0%	10 5%	25 7%	50 10%
PP1222443	Palight Print	3	1.220	2.440	1	3.62	3.44	3.37	3.26
PP1563053	Palight Print	3	1.560	3.050	1	3.62	3.44	3.37	3.26
PP2033053	Palight Print	3	2.030	3.050	1	3.62	3.44	3.37	3.26
20330532S	Palight Print 2-side PE film	3	2.030	3.050	1	3.77	3.58	3.51	3.39
PP2033054	Palight Print	4	2.030	3.050	1	4.77	4.53	4.44	4.29
PP1563055	Palight Print	5	1.560	3.050	1	5.93	5.63	5.51	5.34
PP2033055	Palight Print	5	2.030	3.050	1	5.93	5.63	5.51	5.34
20330552S	Palight Print 2-side PE film	5	2.030	3.050	1	6.07	5.77	5.65	5.46
PP2033056	Palight Print	6	2.030	3.050	1	7.12	6.76	6.62	6.41
PP2033058	Palight Print	8	2.030	3.050	1	8.94	8.49	8.31	8.05
PP20330510	Palight Print	10	2.030	3.050	1	10.94	10.39	10.17	9.85

PALFOAM LW



White foamed PVC sheet

High rigidity and flatness
Matt, smooth, white surface
Protected with single sided film
Density – 0,47g/cm³
Low water absorption
High chemical resistance
EN13501 Fire rating

Application:

Direct digital and screen printing
Various types of signage, construction and industry
Processing: vacuum forming, nailing, bolting, bending, laminating, sawing, drilling, contour cutting, milling, routing, gluing



Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						1 0%	10 5%	25 7%	50 10%
LW2033053	Palfoam LW	3	2.030	3.050	1	3.29	3.13	3.06	2.96
LW2033055	Palfoam LW	5	2.030	3.050	1	5.48	5.21	5.10	4.93

POLYESTER SHEETS

PET-GAG



Clear polyester sheet

Glossy surface on both sides

Good impact resistance

High chemical resistance

100% Eco friendly and recyclable

Complies with food regulation directive 2002/72EC

Application:

Food packaging, medicine, construction and industry

Direct digital, offset and screen printing

Processing: thermoforming, bending, gluing, welding, sealing



Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						1 0%	100 10%	250 15%	500 20%
480825	PET-GAG Clear Gloss	0.15	0.70	1.00	1	0.80	0.72	0.68	0.64
480825	PET-GAG Clear Gloss	0.50	0.663	0.531	1	2.73	2.46	2.32	2.18

POLYPROPYLENE (PP) SHEETS

KARTONPLAST



White corrugated polypropylene sheet

High rigidity and flatness

Matt surface - good printing quality

Protected with dual sided film

Low water absorption

100% Eco friendly and recyclable

Application:


Direct digital and screen printing

Various types of signage, packaging, construction and industry

Processing: laminating, bending, die cut, contour cutting, routing, gluing, punching, v-cut



Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						1 0%	10 5%	25 7%	50 10%
2441226	White Matt	3	1.220	2.440	1	1.71	1.62	1.59	1.54
3002005	White Matt	5	2.000	3.000	1	2.85	2.71	2.65	2.57
3002008	White Matt	8	2.000	3.000	1	4.91	4.66	4.57	4.42



POLYPROPYLENE (PP) SHEETS

PRIPLAK Classic



Colored polypropylene sheet

High rigidity and flatness

Corona treated on both sides

Matt surface on both sides - good printing quality

Low water absorption

100% Eco friendly and recyclable

Complies with toy norm EN 71/3

Complies with food regulation directive 2002/72EC

Application:

Direct digital, offset and screen printing

Various types of signage, packaging, construction and industry

Processing: laminating, bending, creasing, riveting, welding, sewing, die cut, contour cutting, routing, gluing, punching



Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/1000 sheets, buying packs:	
						<1	>1
6506096	White 050	0.3	0.720	1.020	1	1234.46	1111.01
6508411	White 050	0.5	0.720	1.020	1	2057.74	1851.96
6508420	White 050	0.8	0.720	1.020	1	3291.64	2962.48
6508438	Black 960	0.8	0.700	1.000	1	3030.65	2727.62

PRIPLAK Opaline



Clear polypropylene sheet

High rigidity and flatness

Corona treated on both sides

Matt surface on both sides - good printing quality

Low water absorption

100% Eco friendly and recyclable

Complies with toy norm EN 71/3

Complies with food regulation directive 2002/72EC

Application:

Direct digital, offset and screen printing

Various types of signage, packaging, construction and industry

Processing: laminating, bending, creasing, riveting, welding, sewing, die cut, contour cutting, routing, gluing, punching



Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/1000 sheets, buying packs:	
						<1	>1 10%
6856416	Clear Matt	0.3	0.720	1.020	1	1234.46	1111.01
6508745	Clear Matt	0.5	0.720	1.020	1	2057.74	1851.96
6508753	Clear Matt	0.8	0.720	1.020	1	3291.64	2962.48

POLYPROPYLENE (PP) SHEETS

PRIPLAK Cristal+



Clear polypropylene sheet

High rigidity and flatness

Corona treated on both sides

Glossy surface on both sides - good printing quality

Low water absorption

100% Eco friendly and recyclable

Complies with toy norm EN 71/3

Complies with food regulation directive 2002/72EC

Application:

Direct digital, offset and screen printing

Various types of signage, packaging, construction and industry

Processing: laminating, bending, creasing, riveting, welding, sewing, die cut, contour cutting, routing, gluing, punching



Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/1000 sheets, buying packs:	
						<1	>1
6508761	Clear Gloss	0.5	0.720	1.020	1	2198.10	1978.29

ALUMINIUM COMPOSITE SHEETS

COALA Printbond 127 Base



Aluminium composite panel

High rigidity and flatness

Surface has a special coating to achieve best printing results

Matt white surface

Protected with single sided film

Thickness of aluminium foil: 0.12mm

Aluminium quality: alloy 3000

Whiteness: RAL 9016

B2 Fire Rating


Printable on UV digital printers

Application:

Direct digital and screen printing

Various types of signage, construction and industry

Processing: laminating, bending, die cut, contour cutting, routing, gluing, v-cut



Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						1	10	25	50
						0%	5%	7%	10%
554894	Matt White/Aluminium	3	1.500	3.050	1	9.79	9.30	9.10	8.81

COALA Printbond 217 Lite



Aluminium composite panel

High rigidity and flatness

Surface has a special coating to achieve best printing results

Matt white surface

Protected with single sided film

Thickness of aluminium foil: 0.21mm

Aluminium quality: alloy 3000

Whiteness: RAL 9016

B2 Fire Rating

Printable on UV digital printers

Application:

Direct digital and screen printing

Various types of signage, construction and industry

Processing: laminating, bending, die cut, contour cutting, routing, gluing, v-cut



Stock code	Description	Thickness, mm	Width, m	Length, m	Order step, sheets	Price eur/m ² , buying sheets:			
						1	10	25	50
						0%	5%	7%	10%
554902	Matt White/Matt White	3	1.500	3.050	1	12.96	12.31	12.05	11.66