



This large format printer (44-inch) offers versatility and exceptional quality across many applications.

The SureColor SC-P9500 (44-inch) has been developed for photographers and artists, as it offers reliable reproduction for professional proofing and a rapid throughput for high-volume production. This is Epson's first 12-colour large-format printer and offers a wide colour gamut with 99% Pantone coverage<sup>1</sup>.

#### High quality with 12-colour inkset

Epson's UltraChrome Pro12 inkset, with K3 technology, outputs both black inks simultaneously, and includes orange, green and violet, which provides the user with impressive colour accuracy. The SC-P9500 is great for professional photographers and fine art production, and those who demand the highest print quality to make their art more marketable to the discerning buyer.

#### Designed for business productivity

The SC-P9500 (44-inch) combines high-speed production with quality, thanks to the  $\mu$ TFP12 printhead with 300dpi resolution and 12 channels. Users will further benefit from the sealed main unit that provides dust protection, and the ink sub-tanks that provide continuous printing, even if ink levels are low.

#### Precision matters

With Epson colour measurement, checking and correction technologies, packaging and contract proofers can now work with more efficiency and greater confidence.

#### Easy and intuitive handling

Users will benefit from a highly-intuitive 4.3-inch LCD touchscreen (with a user-friendly interface), internal illumination to watch print progress easily, and large status LED to easily check from a distance. Also, everything is designed to work in harmony as Epson offers the complete solution – printer, inks, substrates, software and support.

#### KEY FEATURES

- **Quality output (up to 44-inch)**  
Epson's UltraChrome Pro12 inkset, with K3 technology
- **Productivity**  
Truly impressive production speeds
- **Reliability**  
Nossle Verification Technology and dust prevention
- **Ease of use**  
4.3-inch touchscreen LCD panel with user-friendly interface
- **Colour accuracy**  
Wide colour gamut with 99% Pantone coverage<sup>1</sup>

## PRODUCT SPECIFICATIONS

## SureColor SC-P9500

### TECHNOLOGY

|                 |                                    |
|-----------------|------------------------------------|
| Printing Method | PrecisionCore™ Micro TFP printhead |
| Ink Technology  | Ultrachrome® Pro12                 |

### PRINT

|                      |                                                                                                                                 |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Colours              | Photo Black, Matte Black, Cyan, Light Cyan, Yellow, Vivid Magenta, Vivid Light Magenta, Violet, Orange, Green, Grey, Light Grey |
| Minimum Droplet Size | 3,5 pl, With Variable-Sized Droplet Technology                                                                                  |
| Ink tank capacity    | 700 ml                                                                                                                          |
| Nozzle Configuration | 800 Nozzles Black, 800 Nozzles per Color                                                                                        |
| Printing Resolution  | 1.200 x 2.400 DPI                                                                                                               |

### PAPER / MEDIA HANDLING

|                            |                                                                                                                                                                                                                                                                                          |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Paper Formats              | A1 (59.4x84.1 cm), A2 (42.0x59.4 cm), A2+, A2++, A3+, A3++, A3 (29.7x42.0 cm), A4 (21.0x29.7 cm), 17 " (43.2 cm) Roll, 24 " (61.0 cm) Roll, B2 (51.4x72.8 cm), B3 (36.4cmx51.4 cm), B4 (25.7x36.4 cm), A0 (84.1x118.9 cm), B1 (72.8x102.8 cm), 36 " (91.4 cm) Roll, 44 " (111.8 cm) Roll |
| Compatible Paper Thickness | 0,08 mm - 1,5 mm                                                                                                                                                                                                                                                                         |
| Borderless printing on     | 10 inches, 11.81 inches, 12.95 inches, 15.98 inches, 17.01 inches, 20.28 inches, 23.39 inches, 24.02 inches, 28.66 inches, 33.11 inches, 35.98 inches, 40.55 inches, 44.02 inches, 20 inches                                                                                             |

### GENERAL

|                    |                                                                       |
|--------------------|-----------------------------------------------------------------------|
| Power consumption  | 110 Watt, 32 Watt (economy), 3,4 Watt (standby), 0,3 Watt (Power off) |
| Supply Voltage     | AC 100 V - 240 V, 50 Hz - 60 Hz                                       |
| Product dimensions | 1.909 x 667 x 1.218 mm (Width x Depth x Height)                       |
| Product weight     | 153,8 kg                                                              |
| Sound Power        | Operation: 7,5 B (A)                                                  |
| Noise Level        | Operation: 49,5 dB (A)                                                |

### OTHER FEATURES

|            |                                                                   |
|------------|-------------------------------------------------------------------|
| Memory     | Printer: 2 GB                                                     |
| Emulations | ESC/P-R, Adobe® Postscript 3® (optional)                          |
| Features   | Touchscreen                                                       |
| Interfaces | USB 3.0, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T) |

### LCD AND MEMORY CARDS

|       |                          |
|-------|--------------------------|
| Panel | Type: Color, Touch-panel |
|-------|--------------------------|

### OTHER

|          |                                                                    |
|----------|--------------------------------------------------------------------|
| Warranty | 12 months On-site service<br>Optional warranty extension available |
|----------|--------------------------------------------------------------------|

## SUPPLIES

|                                                                    |            |
|--------------------------------------------------------------------|------------|
| ● Singlepack Photo Black T44J140 UltraChrome PRO 12 700ml          | C13T44J140 |
| ● Singlepack Cyan T44J240 UltraChrome PRO 12 700ml                 | C13T44J240 |
| ● Singlepack Vivid Magenta T44J340 UltraChrome PRO 12 700ml        | C13T44J340 |
| ● Singlepack Yellow T44J440 UltraChrome PRO 12 700ml               | C13T44J440 |
| ● Singlepack Light Cyan T44J540 UltraChrome PRO 12 700ml           | C13T44J540 |
| ● Singlepack Vivid Light Magenta T44J640 UltraChrome PRO 12 700ml  | C13T44J640 |
| ● Singlepack Gray T44J740 UltraChrome PRO 12 700ml                 | C13T44J740 |
| ● Singlepack Matte Black T44J840 UltraChrome PRO 12 700ml          | C13T44J840 |
| ● Singlepack Light Gray T44J940 UltraChrome PRO 12 700ml           | C13T44J940 |
| ● Singlepack Orange T44JA40 UltraChrome PRO 12 700ml               | C13T44JA40 |
| ● Singlepack Green T44JB40 UltraChrome PRO 12 700ml                | C13T44JB40 |
| ● Singlepack Violet T44JD40 UltraChrome PRO 12 700ml               | C13T44JD40 |
| ● Singlepack Photo Black T44Q140 UltraChrome PRO 12 350ml          | C13T44Q140 |
| ● Singlepack Cyan T44Q240 UltraChrome PRO 12 350ml                 | C13T44Q240 |
| ● Singlepack Vivid Magenta T44Q340 UltraChrome PRO 12 350ml        | C13T44Q340 |
| ● Singlepack Yellow T44Q440 UltraChrome PRO 12 350ml               | C13T44Q440 |
| ● Singlepack Light Cyan T44Q540 UltraChrome PRO 12 350ml           | C13T44Q540 |
| ● Singlepack Vivid Light Magenta T44Q640 UltraChrome PRO 12 350ml  | C13T44Q640 |
| ● Singlepack Gray T44Q740 UltraChrome PRO 12 350ml                 | C13T44Q740 |
| ● Singlepack Matte Black T44Q840 UltraChrome PRO 12 350ml          | C13T44Q840 |
| ● Singlepack Light Gray T44Q940 UltraChrome PRO 12 350ml           | C13T44Q940 |
| ● Singlepack Orange T44QA40 UltraChrome PRO 12 350ml               | C13T44QA40 |
| ● Singlepack Green T44QB40 UltraChrome PRO 12 350ml                | C13T44QB40 |
| ● Singlepack Violet T44QD40 UltraChrome PRO 12 350ml               | C13T44QD40 |
| ● Borderless Replacement Pad Kit SC-Px500                          | C13S210102 |
| ● Maintenance Box T699700                                          | C13T699700 |
| ● Cleaning Stick S090013 (50 pcs)                                  | C13S090013 |
| ● Archival Matte Paper, DIN A3+, 189g/m{s2}, 50 Sheets             | C13S041340 |
| ● Archival Matte Paper, DIN A3, 189g/m{s2}, 50 Sheets              | C13S041344 |
| ● Archival Matte Paper - A4 - 50 Sheets                            | C13S041342 |
| ● Cleaning sheet                                                   | C13S400045 |
| ● Commercial Proofing Paper Roll, 13" x 30,5 m, 250g/m{s2}         | C13S042144 |
| ● Commercial Proofing Paper Roll, 17" x 30,5 m, 250g/m{s2}         | C13S042145 |
| ● Commercial Proofing Paper Roll, 24" x 30,5 m, 250g/m{s2}         | C13S042146 |
| ● Double Sided Matte Paper - A4 - 50 Sheets                        | C13S041569 |
| ● Doubleweight Matte Paper Roll, 24" x 25 m, 180g/m{s2}            | C13S041385 |
| ● Doubleweight Matte Paper Roll, 44" x 25 m, 180g/m{s2}            | C13S041387 |
| ● Enhanced Adhesive Synthetic Paper Roll, 24" x 30,5 m, 135g/m{s2} | C13S041617 |
| ● Enhanced Adhesive Synthetic Paper Roll, 44" x 30,5 m, 135g/m{s2} | C13S041619 |
| ● Enhanced Matte Paper Roll, 17" x 30,5 m, 189g/m{s2}              | C13S041725 |
| ● Enhanced Matte Paper, 24" x 30,5 m, 189g/m{s2}                   | C13S041595 |
| ● Enhanced Matte Paper, 44" x 30,5 m, 189g/m{s2}                   | C13S041597 |
| ● Enhanced Matte Paper, DIN A2, 192g/m{s2}, 50 Sheets              | C13S042095 |

## LOGISTICS INFORMATION

|                   |               |
|-------------------|---------------|
| SKU               | C11CH13301A0  |
| EAN code          | 8715946680606 |
| Country of Origin | China         |



Epson Suomi  
 Tuotetietoa: puh. 0201 552 091  
 Tekninen tuki: puh. 0201 552 090  
 Faksi: 0201 552 092  
 finland@epson.co.uk  
 www.epson.fi

Tavaramerkit ja rekisteröidyt tavaramerkit ovat Seiko Epson Corporationin tai omistajiensa omaisuutta. Tuotetietoja voidaan muuttaa ilman ennakkoilmoitusta.

## SureColor SC-P9500

1. PANTONE is the property of Pantone LLC. 99% gamut coverage of PANTONE FORMULA GUIDE solid coated palette based on Epson Proofing Paper White Semi-matte printed with Epson printer driver at 2400x1200dpi and Epson genuine ink. PANTONE coverage may vary when printed with other conditions.

